

Post Floor Lamp

“The Post Floor Lamp came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp’s light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Floor Lamp represents a new perspective through its graphic character and forward-thinking functionality. Configure up to three lighting units on the Post Floor Lamp for an elegant ambient or task light.”

— Earnest Studio



Designed by	Earnest Studio / 2017
About the designer	Earnest Studio was founded by American-born, Rotterdam-based designer Rachel Griffin. With a background in graphic design, she spent five years producing exhibitions and books before moving to the Netherlands to study at the Design Academy Eindhoven in 2007. She launched her own studio in 2012, with a focus on furniture, lighting and accessories.
Environment	Indoor
Country of Production	China
Description	The Post Floor Lamp is an innovative modular lighting design with an archetypal appearance, graphic lines and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the individual lighting units of the design can be positioned, turned and dimmed up and down to individual needs. Use the magnetic cable drops to position the cords on the rod. The Post Floor Lamp comes with two lighting units. An additional lighting unit can be purchased as spare part and added to the design by plugging it into the power hub and positioning it on the rod.
Material	Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Cable drops in powder coated plastic with magnet. Power hub in powder coated plastic with PVC cord.
Cleaning & Care	Clean with soft dry cloth only. Always switch off electricity supply before cleaning.
Light source included	Yes.
Dimmable function	Yes.
Additional information	x2 Lighting units x1 Floor stand x1 Power Hub (with PSU) x2 Magnet Cable Drop
Cord Length	Lighting Unit: 250 cm / 98." and Hub 200 cm / 78.7"

Post Floor Lamp

Dimensions

Height: 136,2 cm / 53.6"
Diameter: 9,5 cm / 3.7"



Ready-to-ship

Black



Lamp rating


Voltage 100-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket Integrated, non-replaceable LEDs. Max. 5,5W (One Unit). Max 6,7W (One Unit, incl. Power HUB). Max. 13W (Two Units, incl. Power HUB).

Light source specification

Item Integrated, non-replaceable LED
Watt 6,7W
Lumen 330 lm
Lumen Maintenance 54.000h
Kelvin 2.700K
CRI 90
Dimmable Yes
Risk Group Except

Post Floor Lamp

Energy Label



Tests, Labels & Certifications

Electromagnetic
Compatibility

Electromagnetic Compatibility (EMC)

Safety & Regulations

EAC Certificate
ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Regulatory Compliance Mark (RCM)
Restriction of Hazardous Substances Directive (RoHS)
Waste of Electronic and Electrical Equipment (WEEE)



IP20



CE



EAC

[Explore Assets](#)

[DOWNLOADSITE](#)